

# Notice of Allowability

Application No.

10/684,264

Examiner

Hoan H. Tran

Applicant(s)

KIDA, HIROSHI

Art Unit

2852

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 1/01/2006.
2. ☒ The allowed claim(s) is/are 1-19.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

## **DETAILED ACTION**

### ***Allowable Subject Matter***

1. Claims 1-19 are allowed.
2. The following is an examiner's statement of reasons for allowance:

None of the prior art of record teaches or suggests an image forming system comprising a recording material supply path for supply a recording material in a substantially vertical direction from a recording material storage section toward an image forming section for forming an image on the recording material, wherein the recording material supply path is provided in the image forming apparatus along one side walls of a main body of the image forming apparatus, and said main body of the image forming apparatus having a space which allows the recording material supply path to open from a front side of the image forming apparatus, said space being formed between an inner side wall on a side of connecting a peripheral equipment and said recording material supply path.

### ***Contact Information***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoan H. Tran whose telephone number is (571) 272-2141. The examiner can normally be reached from 8:30 AM - 5:00 PM Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. David Gray can be reached at (571) 272-2119. The central office fax number for the organization where this application or proceeding is assigned is (703) 872-9306.

Art Unit: 2852

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

HHT

Dec. 11, 2006

A handwritten signature in black ink, appearing to read "Hoan Tran". The signature is written in a cursive, stylized font.

**HOAN TRAN  
PRIMARY EXAMINER**




Replacement Sheet

Approved  
45  
12/11/06

FIG. 1


1



Replacement Sheet

Appraisal  
45  
2/11/06


FIG. 11  
Prior Art



Approved  
1/6  
11/1/16

Replacement Sheet

FIG. 12  
Prior Art



Approved  
to  
release

**FIG. 13**  
Prior Art

